SAFETY DATA SHEET

Waeco Daphne Hermetic Oil 1234yf



Section 1. Identification

Product name	: Waeco Daphne Hermetic Oil 1234yf
Product code	: Not available.
Other means of identification	: Not available.
Product type	: Liquid.
Relevant identified uses of	the substance or mixture and uses advised against
Product use	: Compressor oil for air conditioning systems
Area of application	: Professional applications.
Supplier/Manufacturer	 Dometic Germany GmbH Hollefeldstr. 63 48282 Emsdetten Tel.: +49 (0) 2572 879 0 E-Mail: info@dometic-waeco.de Homepage: www.waeco.com
e-mail address of person responsible for this SDS	: info@chemical-check.de; k.schnurbusch@chemical-check.de
Emergency telephone number (with hours of operation)	: +49 (0) 700 / 24 112 112 (CCWA) +1 872 5888271 (CCWA)

Section 2. Hazards identification

HSNO Classification	: H317 H361 H400 H411	SKIN SENSITISATION - Category 1 REPRODUCTIVE TOXICITY - Category 2 SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2
	Percentage of t aquatic environ	he mixture consisting of ingredient(s) of unknown hazards to the ment: 100%

This material is classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020.

This material is classified as DANGEROUS GOODS according to criteria in New Zealand Standard 5433:2012 Transport of Dangerous Goods on Land.

GHS label elements		
Signal word	:	Warning
Hazard statements	:	H317 - May cause an allergic skin reaction. H361 - Suspected of damaging fertility or the unborn child. H400 - Very toxic to aquatic life. H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements		
General	:	Do not apply directly into or onto water. Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area.

Page: 2/13

Section 2. Hazards identification

Prevention	 P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P280 - Wear protective gloves, protective clothing, eye protection, face protection, or hearing protection. P273 - Avoid release to the environment. P261 - Avoid breathing vapour.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
Response	 P391 - Collect spillage. P308 + P313 - IF exposed or concerned: Get medical advice or attention. P362 + P364 - Take off contaminated clothing and wash it before reuse. P302 + P352 - IF ON SKIN: Wash with plenty of water. P333 + P313 - If skin irritation or rash occurs: Get medical advice or attention.
Storage	: P405 - Store locked up.
Disposal	 P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Symbol	

Other hazards which do not : None known. result in classification

Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Other means of	: Not available.
identification	

Ingredient name	% (w/w)	CAS number
Poly[oxy(methyl-1,2-ethanediyl)], .alphamethylomegamethoxy-	≥90	24991-61-5
decyloxirane	≤2	2855-19-8
dodecyloxirane	≤2	3234-28-4
Butylated hydroxytoluene	≤1	128-37-0
Tricresyl phosphate	<1	1330-78-5

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Section 4. First aid measures

Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Ingestion	: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.

Most important symptoms/effects, acute and delayed

moor important of inprom	oronooto, douto una dolayou
Potential acute health e	ifects
Inhalation	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Skin contact	: May cause an allergic skin reaction.
Eye contact	: No known significant effects or critical hazards.
<u>Over-exposure signs/sy</u>	<u>mptoms</u>
Inhalation	: Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
Ingestion	: Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
Skin	: Adverse symptoms may include the following: irritation redness reduced foetal weight increase in foetal deaths skeletal malformations
Eyes	: No specific data.
Indication of immediate n	nedical attention and special treatment needed, if necessary
Specific treatments	: No specific treatment.
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Version	: 1	Date of issue/Date of revision :	09/03/2023

Section 4. First aid measures

Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
	gioves.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media	
Suitable	: Use dry chemical, CO ₂ , alcohol-resistant foam or water spray (fog).
Not suitable	: Do not use water jet.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst. This material is very toxic to aquatic life. This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide phosphorus oxides Toxic gases
Hazchem code	: 3Z
Special precautions for fire- fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	 Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

.....

Personal precautions, protect	:iv	re equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.

.

Methods and material for containment and cleaning up

Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a
	licensed waste disposal contractor.

Section 6. Accidental release measures

Large spill	: Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard
	as the spilt product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling	1	
Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
2,6-di-tert-butyl-p-cresol	NZ HSWA 2015 - GRWM 2016 (New Zealand, 11/2020). Skin sensitiser.
	WES-TWA: 10 mg/m ³ 8 hours.

Appropriate engineering controls	: If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.			
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.			
Version : 1	Date of issue/Date of revision : 09/03/2023			

Section 8. Exposure controls/personal protection

Individual protection measures

Hygiene measures	eating, smoking an Appropriate technic Contaminated work contaminated cloth	rms and face thoroughly after handling chemical products, before d using the lavatory and at the end of the working period. ques should be used to remove potentially contaminated clothing. c clothing should not be allowed out of the workplace. Wash ing before reusing. Ensure that eyewash stations and safety to the workstation location.
Eye/face protection	assessment indication gases or dusts. If o	nplying with an approved standard should be used when a risk tes this is necessary to avoid exposure to liquid splashes, mists, contact is possible, the following protection should be worn, nent indicates a higher degree of protection: safety glasses with
Skin protection		
Hand protection	be worn at all times this is necessary. Check during use the should be noted the different for different several substances	impervious gloves complying with an approved standard should when handling chemical products if a risk assessment indicates Considering the parameters specified by the glove manufacturer, hat the gloves are still retaining their protective properties. It at the time to breakthrough for any glove material may be at glove manufacturers. In the case of mixtures, consisting of s, the protection time of the gloves cannot be accurately ir (breakthrough time): Recommended: Nitrile gloves.(>0.3mm). eam.
Body protection		equipment for the body should be selected based on the task nd the risks involved and should be approved by a specialist s product.
Other skin protection	selected based on	ar and any additional skin protection measures should be the task being performed and the risks involved and should be sialist before handling this product.
Respiratory protection	appropriate standa respiratory protecti aspects of use. Re	rd and potential for exposure, select a respirator that meets the rd or certification. Respirators must be used according to a on program to ensure proper fitting, training, and other important ecommended: In case of inadequate ventilation wear respiratory nended: Gas filter mask must be worn. FilterA.

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

<u>Appearance</u>	
Physical state	: Liquid.
Colour	: Colourless. [Light]
Odour	: Mild. Characteristic.
Odour threshold	: Not available.
рН	: Not available.
Melting point/freezing point	: Not available.
Boiling point, initial boiling point, and boiling range	: Not available.
Flash point Evaporation rate	: Open cup: 170°C (338°F) [Cleveland] : Not available.

Section 9. Physical and chemical properties and safety characteristics

Flammability	:	Flammable	
Lower and upper explosion limit/flammability limit	:	Not available.	
Vapour pressure	:	Not available.	
Relative vapour density	1	Not available.	
Relative density	1	Not available.	
Density	1	0.9882 g/cm ³ [15°C (59°F)]
Solubility(ies)	:	Media	Result
		cold water hot water	Not soluble Not soluble
Solubility in water	:	Not available.	
Miscible with water	:	No.	
Partition coefficient: n- octanol/water	:	Not applicable.	
Auto-ignition temperature	:	Not available.	
Decomposition temperature	1	Not available.	
Viscosity	1	Kinematic (40°C (104°F)): 9,512 mm2/s (100°C)	46.66 mm²/s (46.66 cSt)
Flow time (ISO 2431)	:	Not available.	
Particle characteristics			
Median particle size	:	Not applicable.	
Other information			
Physical/chemical properties comments	:	Not available.	

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
	Under normal conditions of storage and use, hazardous polymerisation will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: Reactive or incompatible with the following materials: oxidising materials, acids and alkalis.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Version : 1 Date of issue/Date of revision : 09/03/2023

Section 11. Toxicological information

Information on likely routes of exposure				
Inhalation	: No known significant effects or critical hazards.			
Ingestion	: No known significant effects or critical hazards.			
Skin contact	: May cause an allergic skin reaction.			
Eye contact	: No known significant effects or critical hazards.			
Symptoms related to the phy	sical, chemical and toxicological characteristics			
Inhalation	: Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations			
Ingestion	: Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations			
Skin contact	: Adverse symptoms may include the following: irritation redness reduced foetal weight increase in foetal deaths skeletal malformations			
Eye contact	: No specific data.			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
decyloxirane	LD50 Dermal	Rat - Male, Female	>2000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-
dodecyloxirane	LD50 Dermal	Rat - Male, Female	>2000 g/kg	-
	LD50 Oral	Rat - Male	>5000 g/kg	-
Tricresyl phosphate	LD50 Dermal	Rabbit	>10000 mg/kg	-
	LD50 Oral	Rat	3 g/kg	-

Conclusion/Summary : Not available.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Tricresyl phosphate	Skin - Mild irritant	Rabbit	-	500 mg	-

Conclusion/Summary	
Skin	: Not available.
Eyes	: Not available.
Respiratory	: Not available.

Sensitisation

J	Route of exposure	Species	Result
Tricresyl phosphate	Respiratory	Guinea pig	Not sensitizing

Conclusion/Summary

Section 11. Toxicological information

Skin	: Not available.					
Respiratory	: Not available.	: Not available.				
Potential chronic health effe	ects					
General	: Once sensitized, a sev to very low levels.	Once sensitized, a severe allergic reaction may occur when subsequently exposed o very low levels.				
Inhalation	: No known significant e	ffects or critical hazar	ds.			
Ingestion	: No known significant e	ffects or critical hazar	ds.			
Skin contact	: Once sensitized, a sev to very low levels.	rere allergic reaction n	nay occur when	subsequently exposed		
Eye contact	: No known significant e	ffects or critical hazar	ds.			
Carcinogenicity	: No known significant e	ffects or critical hazar	ds.			
Mutagenicity	: No known significant e	ffects or critical hazar	ds.			
Teratogenicity	: Suspected of damagin	g the unborn child.				
Developmental effects	: No known significant e	ffects or critical hazar	ds.			
Fertility effects	: Suspected of damagin	g fertility.				
Chronic toxicity						
Conclusion/Summary	: Not available.					
Carcinogenicity						
Conclusion/Summary	: Not available.					
Mutagenicity						
Product/ingredient name	Test	Experiment		Result		
2,6-di-tert-butyl-p-cresol	-	Experiment: In vivo		Negative		
	_	Subject: Mammalian Subject: Bacteria	-Animal	Negative		
tris(methylphenyl) phosphate	-	Subject: Bacteria		Negative		
Conclusion/Summary	: Not available.	-		-		
<u>Teratogenicity</u>						
Conclusion/Summary	: Not available.					
Reproductive toxicity						
Conclusion/Summary	: Not available.					
Specific target organ toxicit						
Product/ingredient name		Category	Route of exposure	Target organs		
tris(methylphenyl) phosphate		Category 1	-	-		
Specific target organ toxicit	<u>y (repeated exposure)</u>	· · · · · · · · · · · · · · · · · · ·				
Product/ingredient name		Category	Route of exposure	Target organs		
tris(methylphenyl) phosphate		Category 1	-	-		
Aspiration hazard			-	•		
Not available.						

Numerical measures of toxicity

Acute toxicity estimates

Section 11. Toxicological information

•				(vapours)	Inhalation (dusts and mists) (mg/l)
tris(methylphenyl) phosphate	3000	1100	N/A	N/A	N/A

Section 12. Ecological information

Ecotoxicity

: This material is very toxic to aquatic life. This material is toxic to aquatic life with long lasting effects.

Aquatic and terrestrial toxicity

Product/ingredient name	Result	Species	Exposure
decyloxirane	EC50 0.18 mg/l	Algae	72 hours
-	EC50 0.171 mg/l	Daphnia	48 hours
dodecyloxirane	EC50 0.002236 mg/l	Algae - Pseudokirchneriella	72 hours
-	_	subcapitata	
	NOEC 0.00165 mg/l	Algae - Pseudokirchneriella	72 hours
	_	subcapitata	
2,6-di-tert-butyl-p-cresol	NOEC 0.4 mg/l	Algae	72 hours
	Acute EC50 >0.4 mg/l	Algae	72 hours
	Acute EC50 0.45 mg/l	Daphnia	48 hours
	Acute LC50 >0.57 mg/l	Fish	96 hours
	Chronic NOEC 0.023 mg/l	Daphnia	21 days
	Chronic NOEC 0.053 mg/l Fresh water	Fish	30 days
tris(methylphenyl) phosphate	EC50 0.4 mg/l	Algae	72 hours
	EC50 0.14 mg/l	Daphnia	48 hours
	Acute EC50 290 µg/l Fresh water	Algae - Stephanodiscus	96 hours
		hantzschii - Exponential growth	
		phase	
	Acute EC50 170 μg/l Fresh water	Fish - Gasterosteus aculeatus	96 hours
Conclusion/Summary	: Not available.		

Persistence/degradability

Product/ingredient name	Test	Result	Dose	Inoculum
decyloxirane	OECD 301B	60 to 70 % - 28 days	-	-
	Ready			
	Biodegradability -			
	CO2 Evolution			
	Test			
dodecyloxirane	OECD 301B	60 to 70 % - 28 days	-	-
	Ready			
	Biodegradability -			
	CO2 Evolution			
	Test			
2,6-di-tert-butyl-p-cresol	OECD 301C	4.5 % - Not readily - 28 days	-	-
	Ready			
	Biodegradability -			
	Modified MITI			
	Test (I)			
tris(methylphenyl) phosphate	-	80 % - Readily - 28 days	-	-

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
decyloxirane	-	-	Readily
dodecyloxirane	-	-	Readily
2,6-di-tert-butyl-p-cresol	-	-	Not readily
tris(methylphenyl) phosphate	-	-	Readily

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
decyloxirane	5.9	-	high
dodecyloxirane	5.77	-	high
2,6-di-tert-butyl-p-cresol	5.1	330 to 1800	high
tris(methylphenyl) phosphate	5.93	794.33	high

Mobility in soil

Soil/water partition	: No
coefficient (Koc)	

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	New Zealand	IMDG	ΙΑΤΑ
UN number	UN3082	UN3082	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dodecyloxirane, decyloxirane)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dodecyloxirane, decyloxirane)	Environmentally hazardous substance, liquid, n.o.s. (dodecyloxirane, decyloxirane)
Transport hazard class(es)	9	9	9
Packing group	111		
Version : 1		Date of issue/D	ate of revision : 09/03/2023

Section 14. Transport information

	•						
Environmental hazards	Yes.			Yes.		Yes.	
Additional information	<u>on</u>						
New Zealand			azchem code 3Z pecial provisions	<u>s</u> 274, 331, 335, 36	3		
IMDG		o a <u>E</u>		the packagings me .8. I <mark>ules</mark> F-A, S-F		then transported in sizes of provisions of 4.1.1.1, 4.1.	
ΙΑΤΑ		o 5 G 9 P	 This product is not regulated as a dangerous good when transported in sizes of or ≤5 kg, provided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8. <u>Quantity limitation</u> Passenger and Cargo Aircraft: 450 L. Packaging instruction 964. Cargo Aircraft Only: 450 L. Packaging instructions: 964. Limited Quantitie Passenger Aircraft: 30 kg. Packaging instructions: Y964. <u>Special provisions</u> A97, A158, A197, A215 				ons:
Special precautions	for user	u	-	Ensure that perso	•	rt in closed containers that the product know what to	
Transport in bulk acc	cording	: N	ot available.				

to IMO instruments

Section 15. Regulatory information

ocoulon for Roga	
HSNO Approval Number	: XXXX
HSNO Group Standard	: XXXX
HSNO Classification	: H317SKIN SENSITISATION - Category 1H361REPRODUCTIVE TOXICITY - Category 2H400SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1H411LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2
New Zealand Inventory of Chemicals (NZIoC)	: All components are listed or exempted.
International regulations	
Chemical Weapon Conver	ntion List Schedules I, II & III Chemicals
Not listed.	
Montreal Protocol Not listed.	
Stockholm Convention on Not listed.	Persistent Organic Pollutants
Rotterdam Convention on Not listed.	Prior Informed Consent (PIC)
UNECE Aarhus Protocol o	n POPs and Heavy Metals

Not listed.

Section 16. Other information

<u>History</u>	
Date of issue/Date of revision	: 09/03/2023
Date of previous issue	: No previous validation
Version	: 1
	Chemical Check GmbH
Key to abbreviations	 ADG = Australian Dangerous Goods ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail SGG = Segregation Group UN = United Nations
References	 Environmental Protection Authority - Inventory of Chemicals (NZIoC) Hazardous Substances Regulations 2001 (Classification, Identification, Minimum Degrees of Hazard) Hazardous Substances and New Organisms Act (HSNO) 1996 – Hazardous Substances List Health and Safety in Employment Act 1992 - Workplace Exposure Standards and Biological Exposure Indices Code of Practice for the Preparation of Safety Data Sheets (SDS) Transport of Dangerous Goods on Land (NZS 5433:2012) User Guide to the Thresholds and Classifications under the Hazardous Substances and New Organisms Act 1996 (GHS) GHS - Globally Harmonised System of Classification and Labelling of Chemicals International transport regulations

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.