### **SAFETY DATA SHEET**

Denso ND11



#### **Section 1. Identification**

Product name : Denso ND11
Product code : Not available.
Other means of : Not available.

identification

Product type : Liquid.

Relevant identified uses of the substance or mixture and uses advised against

Product use : Lubricants

**Area of application**: Professional applications.

Supplier/Manufacturer : WAECO Germany WSE GmbH

Hollefeldstr. 63 48282 Emsdetten Tel.: +49 (0) 2572 879 0 E-Mail: waeco@dometic.com Homepage: www.waeco.com

e-mail address of person responsible for this SDS

: info@chemical-check.de; k.schnurbusch@chemical-check.de

Emergency telephone number (with hours of

: +49 (0) 700 / 24 112 112 (CCWA)

+1 872 5888271 (CCWA)

operation)

### Section 2. Hazards identification

HSNO Classification	: H317	SKIN SENSITISATION - Category 1
	H341	GERM CELL MUTAGENICITY - Category 2
	H361	REPRODUCTIVE TOXICITY - Category 2
	H371	SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE -
		Category 2
	H373	SPEČIFÍC TARGET ORGAN TOXICITY - REPEATED
		EXPOSURE - Category 2
	H412	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3

This material is classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020.

This material is not classified as DANGEROUS GOODS according to criteria in New Zealand Standard 5433:2012 Transport of Dangerous Goods on Land.

#### **GHS label elements**

Signal word : Warning

**Hazard statements** : H317 - May cause an allergic skin reaction.

H341 - Suspected of causing genetic defects.

H361 - Suspected of damaging fertility or the unborn child.

H371 - May cause damage to organs.

H373 - May cause damage to organs through prolonged or repeated exposure.

H412 - Harmful to aquatic life with long lasting effects.

#### **Precautionary statements**

Denso ND11 Page: 2/14

### Section 2. Hazards identification

**General** 

: Do not apply directly into or onto water.

Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area.

**Prevention** 

: P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P280 - Wear protective gloves: 4 - 8 hours (breakthrough time): Recommended: butyl rubber (≥ 0.7 mm). Protective hand cream.. Wear protective clothing:

Recommended: Long-sleeved protective clothing. Safety shoes.. Wear eye or face protection. Wear hearing protection.

P273 - Avoid release to the environment.

P260 - Do not breathe vapour.

P270 - Do not eat, drink or smoke when using this product.

P264 - Wash thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

: P308 + P311 - IF exposed or concerned: Call a POISON CENTER or doctor. Response

P302 + P352 - IF ON SKIN: Wash with plenty of water.

P333 + P313 - If skin irritation or rash occurs: Get medical advice or attention. P362 + P364 - Take off contaminated clothing and wash it before reuse.

: P405 - Store locked up. Storage

**Disposal** : P501 - Dispose of contents and container in accordance with all local, regional,

national and international regulations.

**Symbol** 





Other hazards which do not : None known.

result in classification

### Section 3. Composition/information on ingredients

Substance/mixture Other means of identification

: Not available.

: Mixture

Ingredient name	% (w/w)	Identifiers
rs(methylphenyl) phosphate	≤3	CAS: 1330-78-5
2,3-epoxypropyl neodecanoate	≤3	CAS: 26761-45-5
2,6-di-tert-butyl-p-cresol	≤1	CAS: 128-37-0

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Denso ND11 Page: 3/14

#### Section 4. First aid measures

#### **Description of necessary first aid measures**

Inhalation

: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Ingestion

: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

**Skin contact** 

Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. If necessary, call a poison center or physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

**Eye contact** 

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention. If necessary, call a poison center or physician.

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

Inhalation : May cause damage to organs following a single exposure if inhaled.

Ingestion: May cause damage to organs following a single exposure if swallowed.

Skin contact : May cause damage to organs following a single exposure in contact with skin. May

cause an allergic skin reaction.

**Eye contact**: No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

**Inhalation** : Adverse symptoms may include the following:

reduced foetal weight increase in foetal deaths skeletal malformations

**Ingestion** : Adverse symptoms may include the following:

reduced foetal weight increase in foetal deaths skeletal malformations

**Skin**: Adverse symptoms may include the following:

irritation redness

reduced foetal weight increase in foetal deaths skeletal malformations

Eyes : No specific data.

#### Indication of immediate medical attention and special treatment needed, if necessary

Denso ND11 Page: 4/14

### Section 4. First aid measures

**Specific treatments** Notes to physician

- : No specific treatment.
- : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

**Protection of first-aiders** 

: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

### Section 5. Firefighting measures

#### **Extinguishing media**

**Suitable** 

In case of fire, use water spray (fog), foam, dry chemical or CO<sub>2</sub>.

Not suitable

: Do not use water jet.

Specific hazards arising from the chemical

: In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

**Hazardous thermal** decomposition products : Decomposition products may include the following materials: carbon dioxide

carbon monoxide phosphorus oxides Toxic gases

Hazchem code

: Not available.

Special precautions for firefighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without

suitable training.

**Special protective** equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure

mode.

Remark

: Not considered to be a product presenting a risk of explosion.

### Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions** 

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

Version 2 Date of issue/Date of revision: 06/11/2025

Denso ND11 Page: 5/14

### Section 6. Accidental release measures

#### Methods and material for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

: Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

### Section 7. Handling and storage

#### Precautions for safe handling

**Protective measures** 

: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

including any incompatibilities

Conditions for safe storage, : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### Section 8. Exposure controls/personal protection

#### **Control parameters**

#### Occupational exposure limits

Ingredient name	Exposure limits	
<b>2</b> ,6-di-tert-butyl-p-cresol	HSWA 2015 - HSW (GRWM) 2016. Workplace exposure standards (WES) (New Zealand, 2/2025) Skin sensitiser. WES-TWA 8 hours: 10 mg/m³.	

#### **Biological exposure indices**

None known.

Denso ND11 Page: 6/14

### Section 8. Exposure controls/personal protection

# Appropriate engineering controls

# **Environmental exposure** controls

: If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### **Individual protection measures**

#### Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

#### **Eye/face protection**

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

# Skin protection Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. 4 - 8 hours (breakthrough time): Recommended: butyl rubber (≥ 0.7 mm). Protective hand cream.

#### **Body protection**

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: Long-sleeved protective clothing. Safety shoes.

#### Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

#### Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Recommended: Gas mask (as filter A)

# Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### **Appearance**

Physical state : Liquid.

Colour : Yellow. [Light]

Odour : Slight

Odour threshold : Not available.

Version : 2 Date of issue/Date of revision : 06/11/2025

Denso ND11 Page: 7/14

### Section 9. Physical and chemical properties and safety characteristics

рH : Not available. **Melting point/freezing point** : Not available.

**Boiling point or initial** boiling point and boiling

range

: Øpen cup: >200°C (>392°F) [Cleveland] Flash point

: Not available.

: Not available. **Evaporation rate Flammability** : Flammable Lower and upper explosion : Not available.

limit/flammability limit

: Not applicable. Vapour pressure Relative vapour density : Not available.

0.98 Relative density

Solubility(ies) Media Result

water Not soluble

Miscible with water : No.

Partition coefficient: n-

octanol/water

: Not applicable.

**Auto-ignition temperature** : Not available. **Decomposition temperature** : Not available.

**Viscosity** 

: Dynamic (room temperature): Not available. Kinematic (room temperature): Not available.

Kinematic (40°C (104°F)): >20.5 mm<sup>2</sup>/s (>20.5 cSt)

**Particle characteristics** 

Median particle size : Not applicable.

**Other information** 

**Pour point** : -35°C (-31°F)

: Not considered to be a product presenting a risk of explosion. Physical/chemical properties comments

### Section 10. Stability and reactivity

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

**Chemical stability** : The product is stable.

Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Under normal conditions of storage and use, hazardous polymerisation will not

occur.

**Conditions to avoid** : No specific data.

Incompatible materials : Reactive or incompatible with the following materials: oxidising materials.

Version : 2 Date of issue/Date of revision: 06/11/2025

Denso ND11 Page: 8/14

### Section 10. Stability and reactivity

Hazardous decomposition

products

: Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

### Section 11. Toxicological information

#### Information on likely routes of exposure

Inhalation : May cause damage to organs following a single exposure if inhaled.Ingestion : May cause damage to organs following a single exposure if swallowed.

Skin contact : May cause damage to organs following a single exposure in contact with skin. May

cause an allergic skin reaction.

**Eye contact**: No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Inhalation** : Adverse symptoms may include the following:

reduced foetal weight increase in foetal deaths skeletal malformations

**Ingestion**: Adverse symptoms may include the following:

reduced foetal weight increase in foetal deaths skeletal malformations

**Skin contact**: Adverse symptoms may include the following:

irritation redness

reduced foetal weight increase in foetal deaths skeletal malformations

Eye contact : No specific data.

#### <u>Delayed and immediate effects as well as chronic effects from short and long-term exposure</u> <u>Information on toxicological effects</u>

#### **Acute toxicity**

Product/ingredient name Result

tris(methylphenyl) phosphate Rat - Oral - LD50

3 g/kg

Rabbit - Dermal - LD50

>10000 mg/kg

2,3-epoxypropyl neodecanoate Rat - Male, Female - Oral - LD50 OECD [Acute Oral Toxicity - Fixed

>2000 mg/kg Dose Method]

Rat - Male, Female - Dermal - LD50 OECD [Acute Dermal Toxicity]

>2000 mg/kg

Conclusion/Summary[Product] : Not available.

Skin corrosion/irritation

Product/ingredient name Result

rs(methylphenyl) phosphate Rabbit - Skin - Mild irritant

Amount/concentration applied: 500 mg

Version : 2 Date of issue/Date of revision : 06/11/2025

Denso ND11 Page: 9/14

### Section 11. Toxicological information

**Conclusion/Summary[Product]**: Not available.

Serious eye damage/eye irritation

**Conclusion/Summary[Product]**: Not available.

Respiratory corrosion/irritation

**Conclusion/Summary[Product]**: Not available.

Respiratory or skin sensitization

Product/ingredient name Result

tris(methylphenyl) phosphate Guinea pig - Respiratory

Result: Not sensitizing

Skin

**Conclusion/Summary[Product]**: Not available.

Ingredient name Conclusion/Summary

tris(methylphenyl) phosphate Not sensitizing

Respiratory

**Conclusion/Summary[Product]**: Not available.

Potential chronic health effects

General: May cause damage to organs through prolonged or repeated exposure. Once

sensitized, a severe allergic reaction may occur when subsequently exposed to

very low levels.

Inhalation : No known significant effects or critical hazards.Ingestion : No known significant effects or critical hazards.

**Skin contact**: Once sensitized, a severe allergic reaction may occur when subsequently exposed

to very low levels.

Eye contact: No known significant effects or critical hazards.Carcinogenicity: No known significant effects or critical hazards.

**Mutagenicity**: Suspected of causing genetic defects.

**Developmental effects**: No known significant effects or critical hazards.

Fertility effects : Suspected of damaging fertility.

**Chronic toxicity** 

**Conclusion/Summary[Product]**: Not available.

**Carcinogenicity** 

**Conclusion/Summary[Product]**: Not available.

**Germ cell mutagenicity** 

Version : 2 Date of issue/Date of revision : 06/11/2025

Denso ND11 Page: 10/14

### Section 11. Toxicological information

Product/ingredient name Result

rs(methylphenyl) phosphate Bacteria

Result: Negative

2,6-di-tert-butyl-p-cresol Bacteria

Result: Negative

In vivo - Mammalian-Animal

Result: Negative

**Conclusion/Summary[Product]**: Not available.

Reproductive toxicity

**Conclusion/Summary[Product]**: Not available.

Specific target organ toxicity (single exposure)

Product/ingredient name Result

rs(methylphenyl) phosphate SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE

- Category 1

Specific target organ toxicity (repeated exposure)

Product/ingredient name Result

rís(methylphenyl) phosphate SPECIFIC TARGET ORGAN TOXICITY - REPEATED

EXPOSURE - Category 1

**Aspiration hazard** 

Not available.

#### **Numerical measures of toxicity**

**Acute toxicity estimates** 

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	(vapours)	Inhalation (dusts and mists) (mg/l)
Denso ND11	N/A	44000.2	N/A		N/A
tris(methylphenyl) phosphate	3000	1100	N/A		N/A

### **Section 12. Ecological information**

**Ecotoxicity**: This material is harmful to aquatic life with long lasting effects.

**Aquatic and terrestrial toxicity** 

Product/ingredient name Result

Fish - Threespine stickleback - Gasterosteus aculeatus

<u>Age</u>: 4 to 5 weeks 170 μg/l [96 hours]

Acute - EC50 - Fresh water Effect: Growth

Algae - Diatom - Stephanodiscus hantzschii - Exponential growth phase

Version : 2 Date of issue/Date of revision : 06/11/2025

Denso ND11 Page: 11/14

### Section 12. Ecological information

290 µg/l [96 hours]

EC50 Daphnia

0.14 mg/l [48 hours]

2,3-epoxypropyl neodecanoate Acute - LC50 - Fresh water OECD [Fish, Acute Toxicity Test]

Fish

5 mg/l [96 hours]

Acute - EC50 - Fresh water OECD [Daphnia sp. Acute

Daphnia Immobilization Test and Reproduction

4.8 mg/l [48 hours] Testj

Acute - EC50 - Fresh water OECD [Alga, Growth Inhibition Test]

Algae

Fish

1.2 mg/l [72 hours]

2,6-di-tert-butyl-p-cresol Chronic - NOEC - Fresh water OECD [Fish, Early-Life Stage Toxicity

Test]

0.053 mg/l [30 days]

Acute - EC50 OECD [Daphnia sp. Acute

Daphnia Immobilization Test and Reproduction

0.45 mg/l [48 hours] Test]

Chronic - NOEC OECD [Daphnia sp. Acute

Daphnia Immobilization Test and Reproduction

0.023 mg/l [21 days] Tes

Acute - EC50

Algae

>0.4 mg/l [72 hours]

NOEC Algae

0.4 mg/l [72 hours]

Acute - LC50 - Fresh water <u>Effect</u>: Mortality

Fish - Medaka, high-eyes - Oryzias OECD

latipes

1.1 mg/l [96 hours]

**Conclusion/Summary[Product]**: Not available.

Persistence and degradability

Product/ingredient name Result

rís(methylphenyl) phosphate 80% [28 days] - Readily

2,3-epoxypropyl neodecanoate Aerobic - 3 mg/l OECD [ Ready Biodegradability -

7 to 8% [28 days] - Not readily Closed Bottle Test]

2,6-di-tert-butyl-p-cresol 4.5% [28 days] - Not readily OECD [ Ready Biodegradability -

Modified MITI Test (I)]

**Conclusion/Summary[Product]**: Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
tris(methylphenyl) phosphate 2,3-epoxypropyl	-	-	Readily Not readily
neodecanoate 2,6-di-tert-butyl-p-cresol	-	-	Not readily

#### **Bioaccumulative potential**

Denso ND11 Page: 12/14

### Section 12. Ecological information

Product/ingredient name	LogPow	BCF	Potential
rs(methylphenyl) phosphate	5.93	794.33	High
2,3-epoxypropyl neodecanoate	4.4	-	High
	5.1	330 to 1800 [OECD 305 C]	High

#### **Mobility in soil**

Soil/water partition coefficient

: Not available.

#### Other adverse effects

No known significant effects or critical hazards.

### Section 13. Disposal considerations

#### **Disposal methods**

: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

	New Zealand	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available.

to IMO instruments

Denso ND11 Page: 13/14

### **Section 15. Regulatory information**

**HSNO Approval Number** : XXXX **HSNO Group Standard** : XXXX

HSNO Classification : H317 SKIN SENSITISATION - Category 1

H341 GERM CELL MUTAGENICITY - Ćategory 2 H361 REPRODUCTIVE TOXICITY - Category 2

H371 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE -

Category 2

H373 SPECIFIC TARGET ORGAN TOXICITY - REPEATED

**EXPOSURE - Category 2** 

H412 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3

New Zealand Inventory of

**Chemicals (NZIoC)** 

: Not determined.

**International regulations** 

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

**Montreal Protocol** 

Not listed.

**Stockholm Convention on Persistent Organic Pollutants** 

Not listed.

**Rotterdam Convention on Prior Informed Consent (PIC)** 

Not listed.

**UNECE Aarhus Protocol on POPs and Heavy Metals** 

Not listed.

### Section 16. Other information

<u>History</u>

Date of issue/Date of

revision

: 06/11/2025

Date of previous issue : 09/03/2023

Version : 2

Chemical Check GmbH

Key to abbreviations

: ADG = Australian Dangerous Goods

ADR = The European Agreement concerning the International Carriage of

Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods IMO = International Maritime Organization

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

RID = The Regulations concerning the International Carriage of Dangerous Goods

by Rail

SGG = Segregation Group UN = United Nations

Version : 2 Date of issue/Date of revision : 06/11/2025

Denso ND11 Page: 14/14

### Section 16. Other information

#### References

: Environmental Protection Authority - Inventory of Chemicals (NZIoC)
Hazardous Substances Regulations 2001 (Classification, Identification, Minimum Degrees of Hazard)

Hazardous Substances and New Organisms Act (HSNO) 1996 – Hazardous Substances List

Health and Safety in Employment Act 1992 - Workplace Exposure Standards and Biological Exposure Indices

Code of Practice for the Preparation of Safety Data Sheets (SDS)

Transport of Dangerous Goods on Land (NZS 5433:2020)

User Guide to the Thresholds and Classifications under the Hazardous Substances and New Organisms Act 1996 (GHS)

GHS - Globally Harmonised System of Classification and Labelling of Chemicals International transport regulations

▼ Indicates information that has changed from previously issued version.

#### **Notice to reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.