

Page 1 of 18
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 05.12.2023 / 0010
Replacing version dated / version: 01.11.2021 / 0009
Valid from: 05.12.2023
PDF print date: 05.12.2023
TP-3825-100 TRACER® UV Additive for R 1234yf Air Conditioners
TP-3825-150 TRACER® UV Additive for R 1234yf Air Conditioners
TP-3825-500 TRACER® UV Additive for R 1234yf Air Conditioners
TP-3825-0008-EU PAG/SPA2 A/C System Dye
TP-3825-5500-EU PAG/SPA2 A/C System Dye
TRACER® UV Additive for R 1234yf Air Conditioners

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

TP-3825-100 TRACER® UV Additive for R 1234yf Air Conditioners
TP-3825-150 TRACER® UV Additive for R 1234yf Air Conditioners
TP-3825-500 TRACER® UV Additive for R 1234yf Air Conditioners
TP-3825-0008-EU PAG/SPA2 A/C System Dye
TP-3825-5500-EU PAG/SPA2 A/C System Dye
TRACER® UV Additive for R 1234yf Air Conditioners

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture:

Additives
Leak detector

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet

WAECO Germany WSE GmbH,
Hollefeldstr. 63, 48282 Emsdetten,
Germany
Tel +49 2572 879-0
waeco@dometic.com
waeco.com

GB

Dometic UK Ltd., Dometic House,
The Brewery, Blandford St. Mary,
Dorset DT11 9LS, United Kingdom,
Tel. +44 344 626 0133

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

IRL

National Poisons Information Centre, Beaumont Hospital, Dublin 9, Ireland, Tel.:
+353 (0)1 809 2166 (Public Poisons Info Line, 8am-10pm, 7 days a week)
+353 (0)1 809 2566 (Info for Healthcare Professionals ONLY, 24 h, 7 days a week)

Telephone number of the company in case of emergencies:

Page 2 of 18
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 05.12.2023 / 0010
 Replacing version dated / version: 01.11.2021 / 0009
 Valid from: 05.12.2023
 PDF print date: 05.12.2023
 TP-3825-100 TRACER® UV Additive for R 1234yf Air Conditioners
 TP-3825-150 TRACER® UV Additive for R 1234yf Air Conditioners
 TP-3825-500 TRACER® UV Additive for R 1234yf Air Conditioners
 TP-3825-0008-EU PAG/SPA2 A/C System Dye
 TP-3825-5500-EU PAG/SPA2 A/C System Dye
 TRACER® UV Additive for R 1234yf Air Conditioners

+49 (0) 700 / 24 112 112 (CCWA)
 +1 872 5888271 (CCWA)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

Hazard class	Hazard category	Hazard statement
Skin Sens.	1	H317-May cause an allergic skin reaction.
Aquatic Acute	1	H400-Very toxic to aquatic life.
Aquatic Chronic	1	H410-Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)



Warning

H317-May cause an allergic skin reaction. H410-Very toxic to aquatic life with long lasting effects.

P261-Avoid breathing vapours or spray. P273-Avoid release to the environment. P280-Wear protective gloves.
 P333+P313-If skin irritation or rash occurs: Get medical advice / attention.

EUH205-Contains epoxy constituents. May produce an allergic reaction.

Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-methyl-.omega.-methoxy-

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

SECTION 3: Composition/information on ingredients

3.1 Substances

n.a.

3.2 Mixtures

Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-methyl-.omega.-methoxy-	
Registration number (REACH)	---

Page 3 of 18
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 05.12.2023 / 0010
 Replacing version dated / version: 01.11.2021 / 0009
 Valid from: 05.12.2023
 PDF print date: 05.12.2023
 TP-3825-100 TRACER® UV Additive for R 1234yf Air Conditioners
 TP-3825-150 TRACER® UV Additive for R 1234yf Air Conditioners
 TP-3825-500 TRACER® UV Additive for R 1234yf Air Conditioners
 TP-3825-0008-EU PAG/SPA2 A/C System Dye
 TP-3825-5500-EU PAG/SPA2 A/C System Dye
 TRACER® UV Additive for R 1234yf Air Conditioners

Index	---
EINECS, ELINCS, NLP, REACH-IT List-No.	680-480-1
CAS	24991-61-5
content %	40-<100
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Skin Sens. 1, H317

Decyloxirane	
Registration number (REACH)	01-2119943390-42-XXXX
Index	---
EINECS, ELINCS, NLP, REACH-IT List-No.	220-667-3
CAS	2855-19-8
content %	0,1-<5
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Skin Irrit. 2, H315 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)

Dodecyloxirane	
Registration number (REACH)	01-2119943387-29-XXXX
Index	---
EINECS, ELINCS, NLP, REACH-IT List-No.	221-781-6
CAS	3234-28-4
content %	0,1-<5
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Skin Irrit. 2, H315 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=10)

Tris(methylphenyl) phosphate	
Registration number (REACH)	01-2119531335-46-XXXX
Index	---
EINECS, ELINCS, NLP, REACH-IT List-No.	809-930-9
CAS	1330-78-5
content %	<3
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Repr. 2, H361f (oral) Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)

2,6-di-tert-butyl-p-cresol	
Registration number (REACH)	01-2119565113-46-XXXX
Index	---
EINECS, ELINCS, NLP, REACH-IT List-No.	204-881-4
CAS	128-37-0
content %	<1
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.
 The substances named in this section are given with their actual, appropriate classification!
 For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.
 The addition of the highest concentrations listed here can result in a classification. Only when this classification is listed in Section 2 does it apply. In all other cases the total concentration is below the classification.

SECTION 4: First aid measures

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 05.12.2023 / 0010

Replacing version dated / version: 01.11.2021 / 0009

Valid from: 05.12.2023

PDF print date: 05.12.2023

TP-3825-100 TRACER® UV Additive for R 1234yf Air Conditioners

TP-3825-150 TRACER® UV Additive for R 1234yf Air Conditioners

TP-3825-500 TRACER® UV Additive for R 1234yf Air Conditioners

TP-3825-0008-EU PAG/SPA2 A/C System Dye

TP-3825-5500-EU PAG/SPA2 A/C System Dye

TRACER® UV Additive for R 1234yf Air Conditioners

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Wash thoroughly using copious water - remove contaminated clothing immediately. If skin irritation occurs (redness etc.), consult doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Give copious water to drink - consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

Coughing

eyes, reddened

Watering eyes

reddening of the skin

Allergic reaction

Irritation of the mouth and throat

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water jet spray/foam/CO2/dry extinguisher

Unsuitable extinguishing media

High volume water jet

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

Toxic gases

5.3 Advice for firefighters

For personal protective equipment see Section 8.

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Cool container at risk with water.

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

Page 5 of 18
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 05.12.2023 / 0010
Replacing version dated / version: 01.11.2021 / 0009
Valid from: 05.12.2023
PDF print date: 05.12.2023
TP-3825-100 TRACER® UV Additive for R 1234yf Air Conditioners
TP-3825-150 TRACER® UV Additive for R 1234yf Air Conditioners
TP-3825-500 TRACER® UV Additive for R 1234yf Air Conditioners
TP-3825-0008-EU PAG/SPA2 A/C System Dye
TP-3825-5500-EU PAG/SPA2 A/C System Dye
TRACER® UV Additive for R 1234yf Air Conditioners

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination. Ensure sufficient ventilation, remove sources of ignition. Avoid dust formation with solid or powder products. Leave the danger zone if possible, use existing emergency plans if necessary. Keep unprotected persons away. Avoid contact with eyes or skin. If applicable, caution - risk of slipping.

6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions

If leakage occurs, dam up.
Resolve leaks if this possible without risk.
Prevent surface and ground-water infiltration, as well as ground penetration.
Prevent from entering drainage system.
If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth) and dispose of according to Section 13. Fill the absorbed material into lockable containers.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation.
Avoid contact with eyes or skin.
Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.
Observe directions on label and instructions for use.
Use working methods according to operating instructions.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.
Wash hands before breaks and at end of work.
Keep away from food, drink and animal feedingstuffs.
Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.
Not to be stored in gangways or stair wells.
Store product closed and only in original packing.
Under all circumstances prevent penetration into the soil.
Protect from direct sunlight and warming.
Store in a well-ventilated place.
Store cool.
Store in a dry place.

7.3 Specific end use(s)

No information available at present.
Observe the instructions for good working practice and the recommendations for risk assessment.
Consult hazardous substance information systems, e.g. from the professional associations, the chemical industry or different industries, depending on the application (building materials, wood, chemistry, laboratory, leather, metal).

SECTION 8: Exposure controls/personal protection

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 05.12.2023 / 0010

Replacing version dated / version: 01.11.2021 / 0009

Valid from: 05.12.2023

PDF print date: 05.12.2023

TP-3825-100 TRACER® UV Additive for R 1234yf Air Conditioners

TP-3825-150 TRACER® UV Additive for R 1234yf Air Conditioners

TP-3825-500 TRACER® UV Additive for R 1234yf Air Conditioners

TP-3825-0008-EU PAG/SPA2 A/C System Dye

TP-3825-5500-EU PAG/SPA2 A/C System Dye

TRACER® UV Additive for R 1234yf Air Conditioners

8.1 Control parameters

Chemical Name	2,6-di-tert-butyl-p-cresol	
WEL-TWA: 10 mg/m3	WEL-STEL: ---	---
Monitoring procedures: ---		
BMGV: ---	Other information: ---	

Chemical Name	2,6-di-tert-butyl-p-cresol	
OELV-8h: 2 mg/m3	OELV-15min: ---	---
Monitoring procedures: ---		
BLV: ---	Other information: ---	

Decyloxirane						
Area of application	Exposure route / Environmental compartment	Effect on health	Descriptor	Value	Unit	Note
	Environment - freshwater		PNEC	0,171	µg/l	
	Environment - marine		PNEC	0,017	µg/l	
	Environment - water, sporadic (intermittent) release		PNEC	1,71	µg/l	
	Environment - sewage treatment plant		PNEC	3,6	mg/l	
Consumer	Human - oral	Long term, systemic effects	DNEL	6,25	mg/kg bw/d	
Consumer	Human - dermal	Long term, systemic effects	DNEL	6,25	mg/kg bw/d	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	10,9	mg/m3	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	10,4	mg/kg bw/d	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	36,7	mg/m3	

Dodecyloxirane						
Area of application	Exposure route / Environmental compartment	Effect on health	Descriptor	Value	Unit	Note
	Environment - freshwater		PNEC	0,002	µg/l	
	Environment - marine		PNEC	0,0002	µg/l	
	Environment - water, sporadic (intermittent) release		PNEC	0,024	µg/l	
	Environment - sewage treatment plant		PNEC	2,61	mg/l	
Consumer	Human - oral	Long term, systemic effects	DNEL	6,25	mg/kg bw/d	
Consumer	Human - dermal	Long term, systemic effects	DNEL	6,25	mg/kg bw/d	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	10,9	mg/m3	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	10,4	mg/kg bw/d	

Page 7 of 18
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 05.12.2023 / 0010
 Replacing version dated / version: 01.11.2021 / 0009
 Valid from: 05.12.2023
 PDF print date: 05.12.2023
 TP-3825-100 TRACER® UV Additive for R 1234yf Air Conditioners
 TP-3825-150 TRACER® UV Additive for R 1234yf Air Conditioners
 TP-3825-500 TRACER® UV Additive for R 1234yf Air Conditioners
 TP-3825-0008-EU PAG/SPA2 A/C System Dye
 TP-3825-5500-EU PAG/SPA2 A/C System Dye
 TRACER® UV Additive for R 1234yf Air Conditioners

Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	36,7	mg/m3	
---------------------	--------------------	-----------------------------	------	------	-------	--

Tris(methylphenyl) phosphate						
Area of application	Exposure route / Environmental compartment	Effect on health	Descriptor	Value	Unit	Note
	Environment - freshwater		PNEC	0,001	mg/l	
	Environment - marine		PNEC	0	mg/l	
	Environment - water, sporadic (intermittent) release		PNEC	0,001	mg/l	
	Environment - sediment, freshwater		PNEC	2,05	mg/kg dw	
	Environment - sediment, marine		PNEC	0,205	mg/kg dw	
	Environment - soil		PNEC	1,01	mg/kg dw	
	Environment - oral (animal feed)		PNEC	0,65	mg/kg feed	
	Environment - sewage treatment plant		PNEC	100	mg/l	
Consumer	Human - oral	Long term, systemic effects	DNEL	0,02	mg/kg bw/d	
Consumer	Human - dermal	Long term, systemic effects	DNEL	0,15	mg/kg bw/d	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	0,03	mg/m3	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	0,41	mg/kg bw/d	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	0,18	mg/m3	

2,6-di-tert-butyl-p-cresol						
Area of application	Exposure route / Environmental compartment	Effect on health	Descriptor	Value	Unit	Note
	Environment - freshwater		PNEC	0,199	µg/l	
	Environment - marine		PNEC	0,02	µg/l	
	Environment - water, sporadic (intermittent) release		PNEC	1,99	µg/l	
	Environment - sediment, freshwater		PNEC	0,458	mg/kg dw	
	Environment - sediment, marine		PNEC	0,046	mg/kg dw	
	Environment - soil		PNEC	0,054	mg/kg dw	
	Environment - oral (animal feed)		PNEC	16,67	mg/kg	
	Environment - sewage treatment plant		PNEC	0,017	mg/l	
Consumer	Human - oral	Long term, systemic effects	DNEL	0,25	mg/kg bw/d	
Consumer	Human - dermal	Long term, systemic effects	DNEL	0,25	mg/kg bw/d	

Page 8 of 18
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 05.12.2023 / 0010
 Replacing version dated / version: 01.11.2021 / 0009
 Valid from: 05.12.2023
 PDF print date: 05.12.2023
 TP-3825-100 TRACER® UV Additive for R 1234yf Air Conditioners
 TP-3825-150 TRACER® UV Additive for R 1234yf Air Conditioners
 TP-3825-500 TRACER® UV Additive for R 1234yf Air Conditioners
 TP-3825-0008-EU PAG/SPA2 A/C System Dye
 TP-3825-5500-EU PAG/SPA2 A/C System Dye
 TRACER® UV Additive for R 1234yf Air Conditioners

Consumer	Human - inhalation	Long term, systemic effects	DNEL	0,435	mg/m3	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	0,5	mg/kg bw/d	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	1,76	mg/m3	

GB - United Kingdom | WEL-TWA = Workplace Exposure Limit - Long-term exposure limit - 8-hour TWA (= time weighted average) reference period (EH40/2005 Workplace exposure limits (Fourth Edition 2020)).
 (EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU:
 (8) = Inhalable fraction (2004/37/CE, 2017/164/EU). (9) = Respirable fraction (2004/37/CE, 2017/164/EU). (11) = Inhalable fraction (2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (2004/37/CE). |
 | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit - 15-minute reference period (EH40/2005 Workplace exposure limits (Fourth Edition 2020)).
 (EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU:
 (8) = Inhalable fraction (2004/37/EC, 2017/164/EU). (9) = Respirable fraction (2004/37/EC, 2017/164/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). |
 | BMGV = Biological monitoring guidance value (EH40/2005 Workplace exposure limits (Fourth Edition 2020)).
 (EU) = Directive 98/24/EC or 2004/37/EC or SCOEL (Biological Limit Value - BLV, Recommendation from the Scientific Committee on Occupational Exposure Limits (SCOEL)) |
 | Other information (EH40/2005 Workplace exposure limits (Fourth Edition 2020)): Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.
 (EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU:
 (13) = The substance can cause sensitisation of the skin and of the respiratory tract (2004/37/CE), (14) = The substance can cause sensitisation of the skin (2004/37/CE). |

IRL - Ireland/Éire | OELV-8h = Occupational Exposure Limit Value - 8-hour reference period (Chemical Agents and Carcinogens CoP (Code of Practice) 2021, HSA (Health and Safety Authority)): (IFV) = Inhalable Fraction and Vapour. (I) = Inhalable Fraction. (R) = Respirable Fraction.
 (EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU:
 (8) = Inhalable fraction (2004/37/EC, 2017/164/EU). (9) = Respirable fraction (2004/37/EC, 2017/164/EU). (11) = Inhalable fraction (2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (2004/37/CE). |
 | OELV-15min = Occupational Exposure Limit Value - 15-minute reference period (Chemical Agents and Carcinogens CoP (Code of Practice) 2021, HSA (Health and Safety Authority)): (IFV) = Inhalable Fraction and Vapour. (I) = Inhalable Fraction. (R) = Respirable Fraction.
 (EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU:
 (8) = Inhalable fraction (2004/37/EC, 2017/164/EU). (9) = Respirable fraction (2004/37/EC, 2017/164/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). |
 | BMGV = Biological Monitoring Guidance Value (Biological Monitoring Guidelines 2011, HSA (Health and Safety Authority)): ACGIH-BEI = BMGV have been sourced from Biological Exposure Indices (BEI) as issued by the American Conference of Governmental Industrial Hygienists (ACGIH). SCOEL = BMGV have been sourced from the Scientific Committee on Occupational Exposure Limit Values (SCOEL) which was set up by a Commission Decision (95/320/EC) with the mandate to advise the European Commission on occupational exposure limits for chemicals in the workplace. HSE = BMGV have been sourced from the Health and Safety Executive (HSE), UK.
 (EU) = Directive 98/24/EC or 2004/37/EC or SCOEL (Biological Limit Value - BLV, Recommendation from the Scientific Committee on Occupational Exposure Limits (SCOEL)) |
 | Other information (Chemical Agents and Carcinogens CoP (Code of Practice) 2021, HSA (Health and Safety Authority)): Carc1A, Carc1B = carcinogenic substance, Cat. 1A or 1B. Muta1A, Muta1B = mutagenic substance, Cat. 1A or 1B. Repr1A, Repr1B = Substances known to be toxic for reproduction, Cat. 1A or 1B. Sk = can be absorbed through skin. Asphx = asphyxiant. Sen = Respiratory sensitizer. BOELV = Binding Occupational Exposure Limit Values. IOELV = Indicative Occupational Exposure Limit Values.
 (EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU:
 (13) = The substance can cause sensitisation of the skin and of the respiratory tract (2004/37/CE), (14) = The substance can cause sensitisation of the skin (2004/37/CE). |

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 05.12.2023 / 0010

Replacing version dated / version: 01.11.2021 / 0009

Valid from: 05.12.2023

PDF print date: 05.12.2023

TP-3825-100 TRACER® UV Additive for R 1234yf Air Conditioners

TP-3825-150 TRACER® UV Additive for R 1234yf Air Conditioners

TP-3825-500 TRACER® UV Additive for R 1234yf Air Conditioners

TP-3825-0008-EU PAG/SPA2 A/C System Dye

TP-3825-5500-EU PAG/SPA2 A/C System Dye

TRACER® UV Additive for R 1234yf Air Conditioners

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:

Chemical resistant protective gloves (EN ISO 374).

If applicable

Protective nitrile gloves (EN ISO 374).

Minimum layer thickness in mm:

$\geq 0,4$

Permeation time (penetration time) in minutes:

≥ 480

Protective hand cream recommended.

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.

The recommended maximum wearing time is 50% of breakthrough time.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:

Normally not necessary.

If air supply is not sufficient, wear protective breathing apparatus.

Thermal hazards:

Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 05.12.2023 / 0010
 Replacing version dated / version: 01.11.2021 / 0009
 Valid from: 05.12.2023
 PDF print date: 05.12.2023
 TP-3825-100 TRACER® UV Additive for R 1234yf Air Conditioners
 TP-3825-150 TRACER® UV Additive for R 1234yf Air Conditioners
 TP-3825-500 TRACER® UV Additive for R 1234yf Air Conditioners
 TP-3825-0008-EU PAG/SPA2 A/C System Dye
 TP-3825-5500-EU PAG/SPA2 A/C System Dye
 TRACER® UV Additive for R 1234yf Air Conditioners

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	Yellow
Odour:	Characteristic
Melting point/freezing point:	There is no information available on this parameter.
Boiling point or initial boiling point and boiling range:	There is no information available on this parameter.
Flammability:	There is no information available on this parameter.
Lower explosion limit:	There is no information available on this parameter.
Upper explosion limit:	There is no information available on this parameter.
Flash point:	There is no information available on this parameter.
Auto-ignition temperature:	There is no information available on this parameter.
Decomposition temperature:	There is no information available on this parameter.
pH:	Mixture is non-soluble (in water).
Kinematic viscosity:	There is no information available on this parameter.
Solubility:	Insoluble
Partition coefficient n-octanol/water (log value):	Does not apply to mixtures.
Vapour pressure:	There is no information available on this parameter.
Density and/or relative density:	There is no information available on this parameter.
Relative vapour density:	There is no information available on this parameter.
Particle characteristics:	Does not apply to liquids.

9.2 Other information

Explosives:	Product is not explosive.
Oxidising liquids:	No

SECTION 10: Stability and reactivity

10.1 Reactivity

The product has not been tested.

10.2 Chemical stability

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

No dangerous reactions are known.

10.4 Conditions to avoid

Heating, open flame, ignition sources

10.5 Incompatible materials

Avoid contact with strong oxidizing agents.

10.6 Hazardous decomposition products

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

TP-3825-100 TRACER® UV Additive for R 1234yf Air Conditioners
 TP-3825-150 TRACER® UV Additive for R 1234yf Air Conditioners
 TP-3825-500 TRACER® UV Additive for R 1234yf Air Conditioners
 TP-3825-0008-EU PAG/SPA2 A/C System Dye
 TP-3825-5500-EU PAG/SPA2 A/C System Dye
 TRACER® UV Additive for R 1234yf Air Conditioners

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
-------------------	----------	-------	------	----------	-------------	-------

Page 11 of 18
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 05.12.2023 / 0010
 Replacing version dated / version: 01.11.2021 / 0009
 Valid from: 05.12.2023
 PDF print date: 05.12.2023
 TP-3825-100 TRACER® UV Additive for R 1234yf Air Conditioners
 TP-3825-150 TRACER® UV Additive for R 1234yf Air Conditioners
 TP-3825-500 TRACER® UV Additive for R 1234yf Air Conditioners
 TP-3825-0008-EU PAG/SPA2 A/C System Dye
 TP-3825-5500-EU PAG/SPA2 A/C System Dye
 TRACER® UV Additive for R 1234yf Air Conditioners

Acute toxicity, by oral route:						n.d.a.
Acute toxicity, by dermal route:						n.d.a.
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:						n.d.a.
Serious eye damage/irritation:						n.d.a.
Respiratory or skin sensitisation:						n.d.a.
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity - single exposure (STOT-SE):						n.d.a.
Specific target organ toxicity - repeated exposure (STOT-RE):						n.d.a.
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.

Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-methyl-.omega.-methoxy-						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Skin corrosion/irritation:						Not irritant
Serious eye damage/irritation:						Not irritant
Respiratory or skin sensitisation:						Sensitising
Aspiration hazard:						No

Decyloxirane						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>5000	mg/kg	Rat		
Acute toxicity, by dermal route:	LD50	>2000	mg/kg	Rat	OECD 402 (Acute Dermal Toxicity)	
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosion)	Irritant
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye Irritation/Corrosion)	Not irritant
Respiratory or skin sensitisation:				Mouse	OECD 429 (Skin Sensitisation - Local Lymph Node Assay)	No (skin contact)
Aspiration hazard:						No

Dodecyloxirane						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>5000	mg/kg	Rat		
Acute toxicity, by dermal route:	LD50	>2000	mg/kg	Rat	OECD 402 (Acute Dermal Toxicity)	
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosion)	Irritant
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye Irritation/Corrosion)	Not irritant

Page 13 of 18
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 05.12.2023 / 0010
 Replacing version dated / version: 01.11.2021 / 0009
 Valid from: 05.12.2023
 PDF print date: 05.12.2023
 TP-3825-100 TRACER® UV Additive for R 1234yf Air Conditioners
 TP-3825-150 TRACER® UV Additive for R 1234yf Air Conditioners
 TP-3825-500 TRACER® UV Additive for R 1234yf Air Conditioners
 TP-3825-0008-EU PAG/SPA2 A/C System Dye
 TP-3825-5500-EU PAG/SPA2 A/C System Dye
 TRACER® UV Additive for R 1234yf Air Conditioners

12.6. Endocrine disrupting properties:							Does not apply to mixtures.
12.7. Other adverse effects:							No information available on other adverse effects on the environment.

Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-methyl-.omega.-methoxy-							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance

Decyloxirane							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to daphnia:	EC50	48h	0,171	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
12.1. Toxicity to algae:	EC50	72h	0,056	mg/l	Pseudokirchnerie lla subcapitata	OECD 201 (Alga, Growth Inhibition Test)	
12.1. Toxicity to algae:	NOEC/NOEL	72h	0,00416	mg/l	Pseudokirchnerie lla subcapitata	OECD 201 (Alga, Growth Inhibition Test)	
12.2. Persistence and degradability:		28d	60-70	%		OECD 301 B (Ready Biodegradability - Co2 Evolution Test)	
12.3. Bioaccumulative potential:	Log Pow		5,9				
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance

Dodecyloxirane							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to algae:	EC50	72h	0,00236	mg/l	Pseudokirchnerie lla subcapitata	OECD 201 (Alga, Growth Inhibition Test)	
12.1. Toxicity to algae:	NOEC/NOEL	72h	0,00165	mg/l	Pseudokirchnerie lla subcapitata	OECD 201 (Alga, Growth Inhibition Test)	
12.2. Persistence and degradability:			60-70	%		OECD 301 B (Ready Biodegradability - Co2 Evolution Test)	
12.3. Bioaccumulative potential:	Log Pow		5,77				
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance

Page 14 of 18
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 05.12.2023 / 0010
 Replacing version dated / version: 01.11.2021 / 0009
 Valid from: 05.12.2023
 PDF print date: 05.12.2023
 TP-3825-100 TRACER® UV Additive for R 1234yf Air Conditioners
 TP-3825-150 TRACER® UV Additive for R 1234yf Air Conditioners
 TP-3825-500 TRACER® UV Additive for R 1234yf Air Conditioners
 TP-3825-0008-EU PAG/SPA2 A/C System Dye
 TP-3825-5500-EU PAG/SPA2 A/C System Dye
 TRACER® UV Additive for R 1234yf Air Conditioners

2,6-di-tert-butyl-p-cresol

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	0,199	mg/l		QSAR	
12.1. Toxicity to fish:	NOEC/NOEL	30d	0,053	mg/l	Oryzias latipes	OECD 210 (Fish, Early-Life Stage Toxicity Test)	
12.1. Toxicity to daphnia:	NOEC/NOEL	21d	0,069	mg/l	Daphnia magna	OECD 211 (Daphnia magna Reproduction Test)	
12.1. Toxicity to daphnia:	EC50	48h	0,48	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
12.1. Toxicity to algae:	IC50	72h	0,42	mg/l			
12.2. Persistence and degradability:			30	%		OECD 302 C (Inherent Biodegradability - Modified MITI Test (II))	Not readily biodegradable
12.3. Bioaccumulative potential:	BCF		598				Concentration in organisms possible.
12.3. Bioaccumulative potential:	Log Pow		5,03				QSAR
Toxicity to bacteria:	EC50	24h	1,7	mg/l			Tetrahymena pyriformis

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:
 The waste codes are recommendations based on the scheduled use of this product.
 Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)
 07 03 99 wastes not otherwise specified
 Recommendation:
 Sewage disposal shall be discouraged.
 Pay attention to local and national official regulations.
 E.g. suitable incineration plant.
 E.g. dispose at suitable refuse site.

For contaminated packing material

Pay attention to local and national official regulations.
 Empty container completely.
 Untampered packaging can be recycled.
 Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information

General statements

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 05.12.2023 / 0010

Replacing version dated / version: 01.11.2021 / 0009

Valid from: 05.12.2023

PDF print date: 05.12.2023

TP-3825-100 TRACER® UV Additive for R 1234yf Air Conditioners

TP-3825-150 TRACER® UV Additive for R 1234yf Air Conditioners



TP-3825-500 TRACER® UV Additive for R 1234yf Air Conditioners

TP-3825-0008-EU PAG/SPA2 A/C System Dye



TP-3825-5500-EU PAG/SPA2 A/C System Dye

TRACER® UV Additive for R 1234yf Air Conditioners



Transport by road/by rail (ADR/RID)

14.1. UN number or ID number:	3082	
14.2. UN proper shipping name:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DECYLOXIRANE, DODECYLOXIRANE)	
14.3. Transport hazard class(es):	9	
14.4. Packing group:	III	
14.5. Environmental hazards:	environmentally hazardous	
Tunnel restriction code:	-	
Classification code:	M6	
LQ:	5 L	
Transport category:	3	

Transport by sea (IMDG-code)

14.1. UN number or ID number:	3082	
14.2. UN proper shipping name:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DECYLOXIRANE, DODECYLOXIRANE)	
14.3. Transport hazard class(es):	9	
14.4. Packing group:	III	
14.5. Environmental hazards:	environmentally hazardous	
Marine Pollutant:	Yes	
EmS:	F-A, S-F	

Transport by air (IATA)

14.1. UN number or ID number:	3082	
14.2. UN proper shipping name:	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (DECYLOXIRANE, DODECYLOXIRANE)	
14.3. Transport hazard class(es):	9	
14.4. Packing group:	III	
14.5. Environmental hazards:	environmentally hazardous	

14.6. Special precautions for user

Persons employed in transporting dangerous goods must be trained.

All persons involved in transporting must observe safety regulations.

Precautions must be taken to prevent damage.

14.7. Maritime transport in bulk according to IMO instruments

Freighted as packaged goods rather than in bulk, therefore not applicable.

Minimum amount regulations have not been taken into account.

Danger code and packing code on request.

Comply with special provisions.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

Comply with national regulations/laws governing the protection of young people at work (national implementation of the Directive 94/33/EC)!

Comply with national regulations/laws governing maternity protection (national implementation of the Directive 92/85/EEC)!

Comply with trade association/occupational health regulations.

Directive 2012/18/EU ("Seveso III"), Annex I, Part 1 - The following categories apply to this product (others may also need to be considered according to storage, handling etc.):

Page 16 of 18
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 05.12.2023 / 0010
 Replacing version dated / version: 01.11.2021 / 0009
 Valid from: 05.12.2023
 PDF print date: 05.12.2023
 TP-3825-100 TRACER® UV Additive for R 1234yf Air Conditioners
 TP-3825-150 TRACER® UV Additive for R 1234yf Air Conditioners
 TP-3825-500 TRACER® UV Additive for R 1234yf Air Conditioners
 TP-3825-0008-EU PAG/SPA2 A/C System Dye
 TP-3825-5500-EU PAG/SPA2 A/C System Dye
 TRACER® UV Additive for R 1234yf Air Conditioners

Hazard categories	Notes to Annex I	Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of - Lower-tier requirements	Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of - Upper-tier requirements
E1		100	200

The Notes to Annex 1 of Directive 2012/18/EU, in particular those named in the tables here and notes 1-6, must be taken into account when assigning categories and qualifying quantities.

Observe incident regulations.

National requirements/regulations on safety and health protection must be applied when using work equipment.

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections: 2, 3, 8, 9, 11, 12, 15, 16
 Employee training in handling dangerous goods is required.
 These details refer to the product as it is delivered.
 Employee instruction/training in handling hazardous materials is required.

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Classification in accordance with regulation (EC) No. 1272/2008 (CLP)	Evaluation method used
Skin Sens. 1, H317	Classification according to calculation procedure.
Aquatic Acute 1, H400	Classification according to calculation procedure.
Aquatic Chronic 1, H410	Classification according to calculation procedure.

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents.
 H361f Suspected of damaging fertility if swallowed.
 H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H400 Very toxic to aquatic life.
 H410 Very toxic to aquatic life with long lasting effects.

Skin Sens. — Skin sensitization
 Aquatic Acute — Hazardous to the aquatic environment - acute
 Aquatic Chronic — Hazardous to the aquatic environment - chronic
 Skin Irrit. — Skin irritation
 Repr. — Reproductive toxicity

Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.
 Guidelines for the preparation of safety data sheets as amended (ECHA).
 Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).
 Safety data sheets for the constituent substances.
 ECHA Homepage - Information about chemicals.
 GESTIS Substance Database (Germany).
 German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

Page 17 of 18
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 05.12.2023 / 0010
Replacing version dated / version: 01.11.2021 / 0009
Valid from: 05.12.2023
PDF print date: 05.12.2023
TP-3825-100 TRACER® UV Additive for R 1234yf Air Conditioners
TP-3825-150 TRACER® UV Additive for R 1234yf Air Conditioners
TP-3825-500 TRACER® UV Additive for R 1234yf Air Conditioners
TP-3825-0008-EU PAG/SPA2 A/C System Dye
TP-3825-5500-EU PAG/SPA2 A/C System Dye
TRACER® UV Additive for R 1234yf Air Conditioners

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Any abbreviations and acronyms used in this document:

acc., acc. to according, according to
ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)
AOX Adsorbable organic halogen compounds
approx. approximately
Art., Art. no. Article number
ASTM ASTM International (American Society for Testing and Materials)
ATE Acute Toxicity Estimate
BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)
BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)
BCF Bioconcentration factor
BSEF The International Bromine Council
bw body weight
CAS Chemical Abstracts Service
CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)
CMR carcinogenic, mutagenic, reproductive toxic
DMEL Derived Minimum Effect Level
DNEL Derived No Effect Level
DOC Dissolved organic carbon
dw dry weight
e.g. for example (abbreviation of Latin 'exempli gratia'), for instance
EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants)
EC European Community
ECHA European Chemicals Agency
ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect
EEC European Economic Community
EINECS European Inventory of Existing Commercial Chemical Substances
ELINCS European List of Notified Chemical Substances
EN European Norms
EPA United States Environmental Protection Agency (United States of America)
ErCx, EµCx, ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants)
etc. et cetera
EU European Union
EVAL Ethylene-vinyl alcohol copolymer
Fax. Fax number
gen. general
GHS Globally Harmonized System of Classification and Labelling of Chemicals
GWP Global warming potential
Koc Adsorption coefficient of organic carbon in the soil
Kow octanol-water partition coefficient
IARC International Agency for Research on Cancer
IATA International Air Transport Association
IBC (Code) International Bulk Chemical (Code)
IMDG-code International Maritime Code for Dangerous Goods
incl. including, inclusive
IUCLID International Uniform Chemical Information Database
IUPAC International Union for Pure Applied Chemistry

Page 18 of 18
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 05.12.2023 / 0010
Replacing version dated / version: 01.11.2021 / 0009
Valid from: 05.12.2023
PDF print date: 05.12.2023
TP-3825-100 TRACER® UV Additive for R 1234yf Air Conditioners
TP-3825-150 TRACER® UV Additive for R 1234yf Air Conditioners
TP-3825-500 TRACER® UV Additive for R 1234yf Air Conditioners
TP-3825-0008-EU PAG/SPA2 A/C System Dye
TP-3825-5500-EU PAG/SPA2 A/C System Dye
TRACER® UV Additive for R 1234yf Air Conditioners

LC50 Lethal Concentration to 50 % of a test population
LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)
Log Koc Logarithm of adsorption coefficient of organic carbon in the soil
Log Kow, Log Pow Logarithm of octanol-water partition coefficient
LQ Limited Quantities
MARPOL International Convention for the Prevention of Marine Pollution from Ships
n.a. not applicable
n.av. not available
n.c. not checked
n.d.a. no data available
NIOSH National Institute for Occupational Safety and Health (USA)
NLP No-longer-Polymer
NOEC, NOEL No Observed Effect Concentration/Level
OECD Organisation for Economic Co-operation and Development
org. organic
OSHA Occupational Safety and Health Administration (USA)
PBT persistent, bioaccumulative and toxic
PE Polyethylene
PNEC Predicted No Effect Concentration
ppm parts per million
PVC Polyvinylchloride
REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)
REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.
RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)
SVHC Substances of Very High Concern
Tel. Telephone
TOC Total organic carbon
UN RTDG United Nations Recommendations on the Transport of Dangerous Goods
VOC Volatile organic compounds
vPvB very persistent and very bioaccumulative
wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.
No responsibility.

These statements were made by:

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.